



**code 2402**



**FOR iron door&wooden door**



**direction left and right compatible**



**ID EM 125 MHz Proximity card**



**REMOTE CONTROL (315 MHZ)**



**It operates at a distance of (7 meters) with obstacles**

**It operates at a distance of (15 meters ) when open**

**It comes with two control switches, with the option to increase the number to 20 remotes.**



**It works by a metal key.**



**Storage capacity 2000 users**





**code 2402**




**FOR iron door&wooden door**

**Comes with (remote control)  
FOR Programming**




**Works in outdoor environments,  
but do not receive direct water.**

**Add passwords to open the door**



**Power supply 12V , 2A: 5A**

**It can connected to intercom  
or access control**





يركب على أبواب  
الخشب والحديد



code 2402



يركب في الاتجاهين اليمين واليسار

يعمل عن طريق الكارت اي دي بروكسيميتي  
اي ام 125 كيلوهرتز

يعمل عن طريق جهاز التحكم عن بعد  
(315 ميغا هرتز)

يعمل على مسافة 7 متر مع وجود عوائق  
ويعمل على مسافة 15 متر مفتوح

يأتي بعدد 2 مفتاح تحكم مع  
امكانية زيادة العدد الى (20 ريموت )

يأتي مزودًا بمفاتيح تحكم، مع إمكانية زيادة  
العدد إلى 20 جهاز تحكم عن بعد.

يعمل عن طريق المفتاح المعدني

له القدرة على استيعاب 2000 مستخدم



يركب على أبواب  
الخشب والحديد



code 2402




يأتي مع جهاز التحكم عن بعد للبرمجة.

يعمل في البيئات الخارجية  
ولكن لا يتعرض للماء بشكل مباشر.



اضافة كلمات مرور لفتح الباب

الباور 12 فولت 2 امبير او 5 امبير



يمكن توصيله مع انتركم او اكسس كنترول