



code 2575



FOR iron door&wooden door



direction left and right compatible



ID EM 125 MHz Proximity card



REMOTE CONTROL (315 MHZ)



It operates at a distance of (7 meters) with obstacles

It operates at a distance of (15 meters) when open

It comes with two control switches, 3 Tag



It works by a metal key.



Storage capacity 2000 users





code 2575



FOR iron door&wooden door

**Comes with (remote control)
FOR Programming**

**It has an exit key on the body
of the cylinder.**

With a handle for easy opening.



**Works in outdoor environments,
but do not receive direct water.**

Add passwords to open the door

Color is black

Power supply 12V , 2A: 5A

**It can connected to intercom
or access control**





يركب على أبواب
الخشب والحديد



code 2575



يركب في الاتجاهين اليمين واليسار

يعمل عن طريق الكارت اي دي بروكسيميتي
اي ام 125 كيلوهرتز



يعمل عن طريق جهاز التحكم عن بعد
(315 ميغا هرتز)



يعمل على مسافة 7 متر مع وجود عوائق
ويعمل على مسافة 15 متر مفتوح

يأتي بعدد 2 مفتاح تحكم

يأتي مزودًا بمفتاحي تحكم، و 3 شفرات.



يعمل عن طريق المفتاح المعدني



له القدرة على استيعاب 2000 مستخدم





يركب على أبواب
الخشب والحديد



code 2575



يأتي مع جهاز التحكم عن بعد للبرمجة.

يعمل في البيئات الخارجية
ولكن لا يتعرض للماء بشكل مباشر.

يوجد معه مفتاح للخروج علي جسم الكالون


مع يد لسهولة الفتح



اضافة كلمات مرور لفتح الباب

اللون أسود

الباور 12 فولت 2 امبير او 5 امبير



يمكن توصيله مع انتركم او اكسس كنترول