

Tenda



All for better networking

4G03 Pro

N300 Wi-Fi 4G LTE Router

www.tendacn.com



4G03 Pro ^{NEW}

N300 Wi-Fi 4G LTE Router


Tenda 4G03 Pro is an LTE router that combines LTE and high-speed Ethernet access, delivering WiFi speeds of up to 300 Mbps. Compatible with over 3900 carriers worldwide, it offers a hassle-free plug-and-play experience with no configuration required. Whether for villas, conference rooms, surveillance, temporary stores, or power outages, it ensures a high-speed and stable network experience.

Main Features



One Nano SIM Card, Plug and play

Integrated with a 4G modem and pre-loaded with carrier libraries for over 3,900 operators globally, it enables true plug-and-play deployment. The modem automatically matches the optimal local network, delivering reliable internet access anywhere.




Boosted Wi-Fi Coverage Throughout Your Home

With two external omni-directional Wi-Fi antennas and wireless MIMO technology, it supports wireless connections at speeds of up to 300Mbps. Stable and fast multi-device connectivity for an exceptional wireless experience.



Connect All Your Devices Effortlessly

All your home devices, from smart TVs and phones to tablets, can connect seamlessly. Built for multi-device households, it supports up to 32 connections simultaneously, ensuring everyone stays online without interruption.



Supports mobile power bank for diverse scenarios

The device supports dual voltage (12V/5V) and can be powered by either an adapter or a mobile power source. Its foldable antennas make it compact and easy to pack — perfect for diverse settings like villas, conference rooms, RVs, and power outages.



Smart Network Backup Connection

When Failover is enabled, the 4G Router can connect a DSL, fiber, or cable modem to its LAN/WAN port to act as a backup connection. The device can seamlessly switch between wired and 4G connections to ensure a stable and optimal internet experience.

Specification

Hardware Specifications

4G Cartgory	LTE CAT.4
4G/3G standards	FDD-LTE,TDD-LTE,WCDMA
Working band	FDD-LTE: B1/B3/B5/B7/B8/B20/B28AB; TDD-LTE: B38/B40/B41; WCDMA: B1/B5/B8
Max 4G speed	DL:150Mbps; UL:50Mbps
Wi-Fi standards	802.11b/g/n
Wi-Fi frequency	2.4GHz
Wi-Fi speed	300Mbps
Wi-Fi transmit Power	up to 20dBm
Interface	1 × 10/100Mbps LAN/WAN Port; 1 × 10/100Mbps LAN Port; 1 × Nano SIM Card Slot;
Button	WPS/Reset
Antennas	2 External 4G/3G Antennas; 2 External Wi-Fi Antennas;
LED indicators	Internet; 4G/3G Signal strength(3 Bars)
Dimensions (L*W*H)	176*134*43 mm
Weight	243g
Power supply	Power adapter:Input power AC 100V-240V 50/60Hz Output power:DC12V==1A

Software Specifications

WAN Type	4G/3G or Wired; Support Failover
Wi-Fi functions	Wi-Fi name & Wi-Fi key; Channel & Bandwidth; Guest Network; Wi-Fi schedule; Transmit power; WPS;
Wi-Fi security	WPA-PSK, WPA2-PSK, WPA/WPA2

Specification

Software Specifications

Software features	APP/WEB; DHCP Server; Firewall; QOS; Upgrade firmware from local or OTA; IPV4/IPV6;
-------------------	--

Certifications

Certifications	CE;ROHS;SIRIM;NBTC;
----------------	---------------------

Working Environment

Temperature	Operating Temperature : -5°C~45°C Storage Temperature : -40°C ~70°C
Humidity	Operating Humidity : 10 %~90% RH non-condensing; Storage Humidity : 5 %~ 90%RH non-condensing;

Package lists

Package Contents	1 * 4G LTE Router 1 * Ethernet cable 1 * Power adapter 1 * Quick Installation Guide
------------------	--

SHENZHEN TENDA TECHNOLOGY CO.,LTD.

Tenda Technology Bldg.Int' | E-City,
#1001 Zhong Shan Yuan Rd.,Nanshan
District,Shenzhen China.

Website: www.tendacn.com

E-mail: support@tenda.com.cn

PC: 518055

