



# DNAKE





**code2848**

**For wooden, armored**

**direction left and right compatible**



**Wifi 2.4G tuya and smart life app**





**Fingerprint-password -face-palm  
Mechanical key emergency**



**Card Mifare IC 13.56**



**4.5 inch internal screen  
Indoor camera  
Camera: 1MP**




**Camera angles (120/45)**

**There is a low battery alarm**



**To open the door from the application  
Temporary password (repeat time)  
one time password**



**There is a stay-alarm .  
There is a motion sensor**

**Storage capacity: 200  
0-9 Admin - 10-200 user**





# DNAKE



**code2848**  
**For wooden, armored,**

**supports Arabic,  
English, and Chinese**

**Open the outdoor camera at  
any time through  
a mobile app and chat  
with the person at the door.**

**Open the door at any time with  
a touch through the mobile application  
without having to press the bell, with  
the possibility of canceling this  
button from the mobile application**

**Male and female voice  
changing technology**

**Runs on battery  
With a capacity of 7.4 volts  
Made of lithium, 4200 mAh**


**Ease of adding to Wi-Fi via Bluetooth  
and the ability to create a personal  
code for the account  
within the application**

**outdoor camera  
Magic Eye (Color Night Vision Camera)  
Camera: 2 MP**

**2 inch Included is the watch screen**




漢語  
汉语  
中文





# DNAKE




code2848

يركب على  
الابواب الخشبية والمصنفة



يفتح في الاتجاهين اليمين واليسار




يعمل عن طريق الموبايل أبلكيشن تويبا  
وسمارت لايف  
واي فاي 2.4 جيجا



يفتح عن طريق ( بصمة الوجه - بصمة الاصبع  
بصمة اليد- كلمة مرور - مفتاح الطوارئ)



يفتح ايضا عن طريق الكارت  
اي سي مايفير 13.56 ميگاهرتز



شاشة داخلية 4.45 بوصة  
كاميرا داخلية 1ميجا  
زوايا العرض  
(120/45)



انذار لانخفاض البطارية



امكانية جعل كلمة السر مؤقتة  
لفتح الباب من التطبيق مع تكرارها  
يوجد نظام إنذار للبقاء في مكانه.  
يوجد مستشعر حركة.



له القدرة على استيعاب 200 مستخدم  
0-9 ادمن ومن 10-200 مستخدم



# UNAKE



code2848

يركب على  
الابواب الخشبية والمصنفة



ENGLISH  
LANGUAGE CENTER


漢語  
汉语  
中文



يدعم  
اللغة الصينية واللغة الانجليزية واللغة العربية




فتح الكاميرا الخارجية في اي وقت  
من خلال الابلكيشن موبايل  
واجراء محادثة مع الشخص المتواجد على الباب



فتح الباب في اي وقت بلمسة من خلال  
الابلكيشن موبايل دون الحاجة للضغط  
على الجرس مع إمكانية إلغاء هذا الزر  
من الابلكيشن موبايل




يوجد تقنية تغيير الصوت



يعمل على بطاريات ب سعة 7.4 فولت  
مصنوعة من مادة الليثيوم  
4200 ملي أمبير

كما يوجد مدخل بور للطوارئ  
كابل USB c-type5 فولت 2 أمبير



عين سحرية (كاميرا خارجية رؤية ليلية الوان )  
كاميرا 2 ميجا

شاشة عرض للقائمة تحت خلفية الساعة

2.4 GHz



سهولة الإضافة إلى شبكة Wi-Fi عبر البلوتوث  
وإمكانية إنشاء رمز شخصي  
للحساب  
داخل التطبيق

